

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [69127-5045](#)
Status: **Active**
Description: Assembly of De-Tape Unit for PB14 Part Number 069127-1001

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	69127
Function	Insulation Displacement (IDT)
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Product Name	PB14
Survey	www.molex.com//review/apptool_survey.html
Tool Type	IDT Bench-Top Terminator
UPC	800754354356

Material Info

Reference - Drawing Numbers

Application Tooling Documents	TM-691275045
Sales Drawing	691270115, 691270115PL, 691275045, 691275045PL, 691275055, 691275055PL, 691275057, 691275057PL




image - Reference only

EU RoHS

China RoHS

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[69127Series](#)

Use With

[69127-1001](#)

Application Tooling Description

FAQ Product #

1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, White, Tin (Sn) Plated, Reeling Option D	0903270354
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 8 Circuits, White, Tin (Sn) Plated, Reeling Option B	0903270360
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT	0903270362

Receptacle, 8
Circuits, White, Tin
(Sn) Plated, Reeling
Option D
1.27mm Pitch 0903270372
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 14
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option B
1.27mm Pitch 0903270386
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 20
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option D
1.27mm Pitch 0903270390
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 26
Circuits, White, Tin
(Sn) Plated, Tin
(Sn) Plated, Reeling
Option D
1.27mm Pitch 0903273376
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 16
Circuits, White, Gold
(Au) Plated, Reeling
Option B
1.27mm Pitch 0903273368
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 12
Circuits, White, Gold
(Au) Plated, Reeling
Option B
1.27mm Pitch 0903273372
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 14
Circuits, White, Gold
(Au) Plated, Reeling
Option B
1.27mm Pitch 0903273374
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 14
Circuits, White, Gold
(Au) Plated, Reeling
Option D
1.27mm Pitch 0903273380
Picoflex® PF-50,
Low Profile, IDT
Receptacle, 18
Circuits, White, Gold
(Au) Plated, Reeling
Option B
1.27mm Pitch 0903273384
Picoflex® PF-50,

Low Profile, IDT Receptacle, 20 Circuits, White, Gold (Au) Plated, Reeling Option B 1.27mm Pitch	0903273388
Picoflex® PF-50, Low Profile, IDT Receptacle, 26 Circuits, White, Gold (Au) Plated, Reeling Option B 1.27mm Pitch	0903270388
Picoflex® PF-50, Low Profile, IDT Receptacle, 26 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option B 1.27mm Pitch	0903270352
Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, White, Tin (Sn) Plated, Reeling Option B 1.27mm Pitch	0903270356
Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Tin (Sn) Plated, Reeling Option B 1.27mm Pitch	0903270358
Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Tin (Sn) Plated, Reeling Option D 1.27mm Pitch	0903270364
Picoflex® PF-50, Low Profile, IDT Receptacle, 10 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option B 1.27mm Pitch	0903270366
Picoflex® PF-50, Low Profile, IDT Receptacle, 10 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option D 1.27mm Pitch	0903270368
Picoflex® PF-50, Low Profile, IDT Receptacle, 12 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option B	

1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 12 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option D	0903270370
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 14 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option D	0903270374
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 16 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option B	0903270376
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 16 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option D	0903270378
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 18 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option B	0903270380
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 18 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option D	0903270382
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 20 Circuits, White, Tin (Sn) Plated, Tin (Sn) Plated, Reeling Option B	0903270384
1.27mm Pitch Picoflex® PF-50, Low Profile, IDT Receptacle, 4 Circuits, White, Gold (Au) Plated, Reeling Option B	0903273352
1.27mm Pitch Picoflex® PF-50,	0903273354

Low Profile, IDT Receptacle, 4 Circuits, White, Gold (Au) Plated, Reeling Option D 1.27mm Pitch	0903273356
Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Gold (Au) Plated, Reeling Option B 1.27mm Pitch	0903273358
Picoflex® PF-50, Low Profile, IDT Receptacle, 6 Circuits, White, Gold (Au) Plated, Reeling Option D 1.27mm Pitch	0903273360
Picoflex® PF-50, Low Profile, IDT Receptacle, 8 Circuits, White, Gold (Au) Plated, Reeling Option B 1.27mm Pitch	0903273362
Picoflex® PF-50, Low Profile, IDT Receptacle, 8 Circuits, White, Gold (Au) Plated, Reeling Option D 1.27mm Pitch	0903273364
Picoflex® PF-50, Low Profile, IDT Receptacle, 10 Circuits, White, Gold (Au) Plated, Reeling Option B	

This document was generated on 03/08/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION