



NOTE  
 1. MATERIAL  
 TERMINAL : BRASS (CONTACT : GOLD UNDER NICKEL)  
 (SOLDER TAIL : TIN UNDER NICKEL)  
 WAFER : 46NYLON  
 SHELL : PHOSPHOR BRONZE (TIN UNDER NICKEL)  
 MOLD CASE : 46NYLON  
 BRACKET : ZINC  
 NUT : STEEL  
 2. THIS PRODUCT IS LEAD FREE OF 55395-0611.

REVISED EC NO: J2006-0295 DRW: N. SUZUKI 2005/07/26 CHK: K. TOJO 2005/07/28 APPR: N. KITA 2005/08/02	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		MODEL NO. 55395-**19	MATERIAL NO. 55395-0619
	10 UNDER	±0.2	DRAWN BY HKAWABATA	DATE 04/05/24	SCALE ---	DESIGN UNITS METRIC
	10 <sup>OVER</sup> 30 UNDER	±0.25	CHECKED BY KTOJO	DATE 04/05/24	THIRD ANGLE PROJECTION	
	30 <sup>OVER</sup>	±0.3	APPROVED BY MSASAO	DATE 04/05/24	TITLE IEEE 1394 SOCKET WITH LOCK SOCKET ASSEMBLY -LEAD FREE-	
ANGULAR ±3 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-55395-004
SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				SHEET NO. 1 OF 2

