

Printed-circuit board connector - MSTBO 2.5/4-6 ST SET KMGY - 2713764

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Kit consisting of COMBICON header and screw connectors for 6 x 4 positions (24-pos.), color: Light gray



Key commercial data

Packing unit	1
Minimum order quantity	1
Catalog page	Page 620 (CC-2011)
GTIN	 4 017918 914493
Custom tariff number	85366990
Country of origin	GERMANY

Classifications

ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC001031

UNSPSC

UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501
UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501

eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27260701

Printed-circuit board connector - MSTBO 2.5/4-6 ST SET KMGY - 2713764

Classifications

eCl@ss

eCl@ss 6.0	27180802
eCl@ss 7.0	27182702

Approvals

Approvals


Approvals


CSA / VDE Gutachten mit Fertigungsüberwachung / IECCE CB Scheme / UL Recognized / cUL Recognized / cULus Recognized


Ex Approvals

Approvals submitted

Approval details

CSA 		
	B	D
mm ² /AWG/kcmil	28-12	28-12
Nominal current I _N	10 A	10 A
Nominal voltage U _N	300 V	300 V

VDE Gutachten mit Fertigungsüberwachung 	
Nominal current I _N	8 A
Nominal voltage U _N	250 V

IECEE CB Scheme 	
Nominal current I _N	8 A
Nominal voltage U _N	250 V

Printed-circuit board connector - MSTBO 2.5/4-6 ST SET KMGY - 2713764

Approvals

UL Recognized		
	B	D
mm ² /AWG/kcmil	30-12	30-12
Nominal current I _N	15 A	10 A
Nominal voltage U _N	300 V	300 V

cUL Recognized		
	B	D
mm ² /AWG/kcmil	30-12	30-12
Nominal current I _N	15 A	10 A
Nominal voltage U _N	300 V	300 V

cULus Recognized		
------------------	--	--

Accessories

Accessories


Coding section - CR MSTBO-G1 - 2199618



Drawings


Printed-circuit board connector - MSTBO 2.5/4-6 ST SET KMGY - 2713764

Schematic diagram



Pin assignment right

Schematic diagram



Pin assignment left