



REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
01 <sub>2</sub>	REDRAWN IN CAD PER ECN 98-0001	PATLAN 2/20/98 3/20/98	<i>[Signature]</i>

ELECTRICAL	MECHANICAL	ENVIRONMENTAL
Nominal Impedance (Ohms) <u>50</u>	Interface Dimensions PER <u>M/A-COM CATALOG</u>	Temperature Rating <u>-65° TO +125°C</u>
Frequency Range (GHz) DC to <u>28.0</u>	Force to Engage (IN-LBS MAX) <u>3.0</u>	Vibration MIL-STD-202, Method 204, Condition D
Volt Rating (VRMS MAX) @ Sea Level <u>250</u>	Disengage (In-Lbs MAX) <u>1.5</u>	Shock MIL-STD-202, Method 213B, Condition I
VSWR <u>1.05 + .01f(GHz)</u>	Center Contact Captivation	Thermal Shock MIL-STD-202, Method 107, Condition B,
Insertion Loss (dB MAX) <u>.04 √f GHz</u>	Axial (Lbs) <u>4.0</u>	Moisture Resistance MIL-STD-202, Method 106
RF Leakage (dB MIN) <u>-[60-f(GHz)]</u>	Weight (Grams) <u>N/A</u>	Corrosion - MIL-STD-202, Method 101, Condition B, 5% salt spray
Corona, 70,000 Ft (VRMS MIN) <u>190</u>		
Dielectric Withstanding Voltage (VRMS MIN) @ Sea Level <u>675</u>		
Contact Resistance (Milliohms MAX)		
Center Contact <u>6.0</u>		
Outer Contact <u>3.0</u>		
Cable to Housing <u>N/A</u>		
RF High Potential @ Sea Level (VRMS MIN @ 5 MHz) <u>500</u>		
LR.(Megohms MIN) <u>5,000</u>		

COMPONENT	MATERIAL	FINISH
HOUSING	STAINLESS STEEL PER ASTM-A484 AND ASTM-A582, TYPE 303	PASSIVATE PER QQ-P-35
DIELECTRIC	PTFE FLUOROCARBON PER ASTM-D-1457	N/A
CENTER CONTACT	BERYLLIUM COPPER PER ASTM-B-196 OR ASTM-B-197, ALLOY C17300, CONDITION H	GOLD PLATE PER MIL-G-45204
O-RING	FLUOROSILICONE 60 (DUROMETER) PER MIL-P-25988, CLASS 1, TYPE 1	N/A

  

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	DRAWN BY D.CAM	DATE 10/15/84	 <b>AMP Incorporated</b> 140 Fourth Avenue Waltham, MA 02451-7599						
FRAC. ± 1/64	CHECKED BY PCV	01/02/85							
DEC. ± .005	APP'D BY PCV	02/04/85							
ANGLES ± 1°	USE ASSY PROCEDURE		TITLE "OSSP" PANEL FEEDTHRU PLUG RECEPTACLE-STRAIGHT TERMINAL						
NO. A.P. <u>47-020</u>			<table border="1"> <tr> <td>SIZE</td> <td>CODE IDENT NO.</td> <td>REV</td> </tr> <tr> <td>B</td> <td>26805</td> <td>01<sub>2</sub></td> </tr> </table>	SIZE	CODE IDENT NO.	REV	B	26805	01 <sub>2</sub>
SIZE	CODE IDENT NO.	REV							
B	26805	01 <sub>2</sub>							
These drawings and specifications are the property of M/A COM Interconnect Div. and shall not be reproduced or copied or used in whole or in part as the basis for the manufacture or sale of item(s) without written permission.			SCALE 10:1 SHEET 1 OF 1						

CUSTOMER DRAWING

AMP PART # 1059901-1  
 SHEET 1 OF 1 REV B  
 PER EC # OU20-0261-01