

MODEL:

PDUMH15HVAT


Single-Phase Metered Rackmount ATS PDU



200-240V
Single-Phase
Input/Output



High Voltage
Input/Output



Automatic
Transfer Switch



10 Outlets



2-2.4kW Load
Capacity




1U Horizontal
Rackmount



2 C14 Inlets

- A** C13 Outlet (x10)
- B** C14 Inlet (x2)
- C** 12 ft. Detachable C13 to C14 Input Power Cord (x2)
- D** Rackmounting Brackets (Removable)
- E** Factory Configuration Port
- F** Grounding Lug
- G** Accessory Card Slot
- H** Digital Load Meter

Also Includes: Owner's manual, vertical mounting brackets (2), C14 plug lock inserts (10) and mounting hardware.



- Distributes 2-2.4kW Single-Phase redundant power for devices with non-redundant power supply configurations
- Automatic transfer switching within 2-5 ms
- Digital load meter for real-time output current monitoring
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

SEE NEXT PAGE FOR DETAILED UNIT MEASUREMENTS




1111 W. 35th Street
Chicago, IL 60609 USA
773.869.1234
www.tripplite.com




Specifications

Model	PDUMH15HVAT
Voltage	200-240V (Single-Phase Input/Output)
Frequency	50 / 60 Hz
Load Capacity	2-2.4kW
Input Cord Inlets	C14 (x2)
Input Cord Lengths	12 ft. [3.6 m] (x2)
Outlets	10 C13
Primary Mounting Option	1U Horizontal
Unit Weight & Dimensions	10.32 lb / 1.71 x 17.33 x 14.45 (HxWxD in inches) 4.68 kg / 43.5 x 440 x 367 (HxWxD in mm) See next page for detailed unit measurements.
Standards	Tested to CE, UL 60950-1 (USA, Canada), FCC Class A (Emissions), NOM (Mexico); RoHS, EAC and TAA Compliant


Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.



FRONT VIEW



SIDE VIEW



REAR VIEW

Dimensions: [mm] INCHES


Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

MODEL:
PDUMH15HVAT

TRIPP-LITE

1111 W. 35th Street
Chicago, IL 60609 USA
773.869.1234

www.tripplite.com



TOP VIEW

[367]
14.45

[136.23]
5.36

MODEL:
PDUMH15HVAT



1111 W. 35th Street
Chicago, IL 60609 USA
773.869.1234
www.tripplite.com

Dimensions: [mm] INCHES

Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.