

Specification Sheet

Part Number: T120R0PPK2



Polypropylene Cable Tie, 15.2" Long, 60lb Tensile Strength, PP, Black, 50/pkg

Article Number	111-12067
Type	T120R
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• Polypropylene cable ties provide excellent resistance to chemicals and salts.• Head design provides high tensile strength with very low insertion force.• Bent tail ensures a quick and simple installation.
Quantity Per	bag
Product Description	HellermannTyton heavy duty cable ties offer a higher tensile strength for heavy load applications. The head design guarantees high tensile strength, as well as a low insertion force. The bent tail design allows quick and simple installations by hand. For high volume applications, tensioning tools are available to ensure consistent and safe installation.
Short Description	Polypropylene Cable Tie, 15.2" Long, 60lb Tensile Strength, PP, Black, 50/pkg

Global Part Name

T120R-PP-BK

Minimum Tensile Strength (Imperial)

60.0

Minimum Tensile Strength (Metric)

267.0

Length L (Imperial)

15.2

Length L (Metric)

387.0

Identification Plate Position

none

Releasable Closure

No

Tie Closure

plastic pawl

Variant

Inside Serrated

Width W (Imperial)

0.30

Width W (Metric)

7.6

Bundle Diameter Min (Imperial)

0.20

Bundle Diameter Min (Metric)

5.0

Bundle Diameter Max (Imperial)

4.1

Bundle Diameter Max (Metric)

104.1

Material	Polypropylene (PP)
Material Shortcut	PP
Flammability	UL 94 HB
Halogen free	Yes
Operating Temperature (Metric)	-40°F to +239°F (-40°C to +115°C)
ROHS Complaint	Yes
Package Quantity(Imperial)	50
Package Quantity (Metric)	50
Customs Number	3926909987
Content Unit(BMEcat)	pcs.