

Specification Sheet

Part Number: 155-38102



Connector Clip; Hole Dia. 6.5-7.0mm; Panel .075-1.5mm; PA66HIRHS; Black; 500/ Pack

Article Number	155-38102
Type	YCC-FT6-S
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">•Head design contains clamping rails to provide full circumferential compression around bundles.•Bent tail allows for quick insertion into head.
Quantity Per	bag
Product Description	Connector Clips feature various attachment point configurations to accommodate the many connectors on the market. They are first mated with a connector on a wire harness or cable assembly, then secured to a surface using the integrated mount. With so many configurations available, attachment surfaces can be a hole, edge, stud or even another harness assembly.
Short Description	Connector Clip; Hole Dia. 6.5-7.0mm; Panel .075-1.5mm; PA66HIRHS; Black; 500/ Pack

Global Part Name

YCC-FT6-S-PA66HIRHS-BK

Fixation Method

Fir Tree

Panel Thickness Min(Imperial)

0.04

Panel Thickness Max(Imperial)

0.06

Panel Thickness Min (Metric)

0.75

Panel Thickness Max (Metric)

1.5

Mounting Hole Diameter D (Imperial)

0.26 - 0.28

Mounting Hole Diameter D (Metric)

6.5 - 7.0 mm

Mounting Hole Diameter D Min (Imperial)

0.26

Mounting Hole Diameter D Max (Imperial)

0.275

Mounting Hole Diameter D Max (Metric)

7.0

Disc Diameter(Metric)

16

Disc Diameter (Imperial)

0.63

Material

Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)

Material Shortcut

PA66HIRHS

Flammability	UL 94 HB
Operating Temperature (Metric)	-40°F to +221°F (-40°C to +105°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Package Quantity(Imperial)	500
Package Quantity (Metric)	500
Customs Number	3926909987
Content Unit(BMEcat)	pcs.
Weight (Metric)	0.78